

MATERIAL SAFETY DATA SHEET



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: ArrowSpec 2073-B Clear Air Filter Oil (Blue)
Chemical Family: Oil, N.O.S.
Common Name: Petroleum Oil
CAS#: Mixture

Company Identification: Chem Arrow Corporation
13643 Live Oak Lane
Irwindale, CA 91706
United States of America
www.chemarrow.com
Telephone (626) 358-2255
Fax (626) 359-8190

Transportation Emergency Response: Chem Tel Inc.
Telephone 800-255-3924 (North America) 813-248-0583 (all other countries)

Product Information:

SECTION 2: HAZARDOUS INGREDIENTS

COMPONENTS	CAS Number	%
Hydrotreated heavy paraffinic distillate	64742-54-7	<100
Methyl lardate	68082-78-0	<2

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(Z).

SECTION 3: HAZARDS IDENTIFICATION

Principle Hazards: Prolonged or repeated skin contact may cause dermatitis.
See section 11 for complete health hazard information.

Threshold Limits: The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m³ for oil mists.

Primary Routes of Exposure:

Eye: May cause eye irritation if splashed into eyes.

Skin: Repeated or prolonged contact with skin may cause irritation which may lead to various skin disorders.
Avoid prolonged skin contact.

Inhalation: Inhalation of vapor or oil mist from this product may cause mild irritation of the respiratory system. Use in well ventilated areas.

Oral: Ingestion may cause nausea, diarrhea and stomach discomfort.

SECTION 4: FIRST AID MEASURES

Oral: DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate medical attention.

Eye: Flush with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

Skin: Wash immediately with soap and water. Remove soiled clothing. Get medical attention if irritation develops. Launder contaminated clothing.

Inhalation: Remove exposed person to fresh air. If breathing is labored, administer oxygen and obtain immediate medical attention. If irritation persists or if toxic symptoms are observed, get medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (COC):	>392°F / >200°C May release flammable vapors when heated above flash point.
Extinguishing Media:	Carbon Dioxide, dry chemical, or foam. Avoid using water.
Hazardous Exposure:	Carbon monoxide and asphyxiants.
Special Fire Procedures:	Recommend SCBA. Use water only for cooling container. Water may cause splattering or transport the flame.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems.

SECTION 7: HANDLING AND STORAGE

Handling	Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or expose containers to other ignition sources.
Storage	Store in closed containers of proper construction. Store away from ignition sources and in areas of good ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:	TLV = 5 mg/m ³ as oil mist
Ventilation:	Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or mists.
Gloves:	Use nitrile or neoprene gloves are recommended.
Eye Protection:	Safety glasses, goggles or face shield are recommended.
Respiratory:	Use NIOSH.MSHA approved respirator with organic vapor cartridge and dust/mist cartridge if recommended exposure limit is exceeded. Self-contained breathing apparatus is recommended for confined space entry.
Clothing:	Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue Oily Liquid	pH:	N/D
Boiling Point:	>572°F / >300 °C	Solubility:	NEG
Evaporation Point:	Less than ether	Specific Gravity:	.8650
Flammability:	N/A	Vapor Density:	Heavier than air
Flash Point:	>392°F />200 °C	Vapor Pressure:	<0.01 mm Hg @ 20 °C
Odor:	Petroleum	VOC:	Nil

SECTION 10: STABILITY AND REACTIVITY

Stability: Material is normally stable at ambient temperature and pressure.

Conditions To Avoid: Oxidizing agents. Do not heat above the flash point.

Polymerization: Will not occur.

Decomposition: Carbon dioxide, carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Oral Toxicity: Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea and abdominal pain.

Eye Irritation: Not expected to cause eye irritation.

Skin Irritation: Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause irritation.

Carcinogenic: This material has not been identified as a carcinogen by NTP, IARC or OSHA.

SECTION 12: ECOLOGICAL INFORMATION

The material is expected to have adverse affects on marine and plant life. Spills may contaminate drinking water.

SECTION 13: DISPOSAL CONSIDERATION

Disposal: Consult federal, state, and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14: TRANSPORT INFORMATION

See 49 CFR part 171.8 Through 178.510

DOT Shipping Name: Oil, N.O.S.

DOT Hazard Class: Not Regulated

UN/NA Number: NA 1270

Guide Number: 27

IMDG Code:

Materials classified as DOT Combustible Liquids (Flash Point>141°F and <200°F) are not regulated by DOT in containers of 110 gallons or less for domestic shipments.

SECTION 15: REGULATORY INFORMATION

TSCA	All components of this material are on the US TSCA inventory.	SARA 313	Not Listed
SARA 311		CAL PROP 65	Not Listed
SARA 312		RCRA	Not Listed
CERCLA	Listed		

SECTION 16: OTHER INFORMATION

	<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>	<u>PPE</u>
NFPA RATINGS:	1	1	0	C
HMIS:	1	1	0	

Precautionary Labels: NA
Date Created: February 2011

The information has been compiled from sources considered to be dependable and is accurate to the best of Chem Arrow's knowledge. Chem Arrow Corporation makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Chem Arrow Corporation assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.